

MATERIAL SPECIFICATION

Product: Nail biting
Packaging: Flask 10 ml
Product code manufacturer: 075419
Batch code: ---
Expiry date: 36 months after manufacturing

Raw materials:

INCI	CAS	EINECS
Alcohol denat.	-	-
Denatonium Benzoate	3734-33-6	223-095-2
Glycerin	56-81-5	200-289-5
Ricinus communis Seed Oil	8001-79-4	232-293-8

DATA SHEET

1. PRODUCT IDENTIFICATION

Product: Anti nail biting
10 ml Bottle

Product category: Cosmetic

2. FINISHED PRODUCT CHARACTERISTICS

Test property	Test method	Requirement/Limit
Colour	Visual	Clear, transparent
pH	pH indicator	8.000-10.000
Viscosity	Brookfield viscosity, 0 sec, 0°C, 0 rpm, Spindle 0	0-0 mPas
Density	Pycnometer	0.787-0.837 g/ml
Stability (centrifuge)	0 min, 0°C, 0 rpm	Stable
Odour	Organoleptic	Reference
Total viable count (TVC) aerobe	NEN-EN-ISO 4833-1:2013	1000 cfu/g
Staphylococcus aureus	NEN-EN-ISO 22718-2009	ND in 0.1g
Escherichia coli	NEN-EN-ISO 21150:2009	ND in 0.1g
Candida albicans	NEN-EN-ISO 18416:2009	ND in 0.1g
Pseudomonas aeruginosa	NEN-EN-ISO 22717:2009	ND in 0.1g
Aspergillus niger	NEN-EN-ISO 16212:2011	ND in 0.1g
Microbiological Limit Yeast and Molds	NEN-EN-ISO 16212:2011	< 10 cfu/g

3. INTENDED USE

Anti-Nail biting is a cosmetic product that prevents nail biting and thumb sucking.

4. MODE OF ACTION

The denatured alcohol is extremely bitter and therefore prevents one from putting a finger/nail in their mouth.

5. DOSAGE AND USE

Apply one coat of Anti-nail biting in the morning and the evening on the entire nail. Allow it to dry for 1 minute.

6. STORAGE CONDITION

Ambient temperature (5- 25°C) in a dry dark place in the original container.

7. USE DURING PREGNANCY OR BREAST FEEDING

Not enough is known about the use of Anti-nail biting during pregnancy and breast-feeding. Stay on the safe side and avoid use.

8. POSSIBLE SIDE EFFECTS

No information available

9. CONTRAINDICATIONS

The product cannot be administered to patients allergic to ingredients in Anti-nail biting.

10. CAUTIONS

- Keep out of reach of children.
- For external use only.
- In case of eye contact, thoroughly rinse with water.
- Use by children under 12 years must be supervised by an adult.
- Not suitable for babies or infants under 3 years.
- Do not use if you are suffering from hypersensitivity against any of the ingredients.

11. TEST REPORTS

a) Microbiological safety

Microbiological safety is demonstrated by stability testing based accelerated aging.

b) Stability during shelf life

The stability of final product and packing is demonstrated for the shelf life (expiration date) by testing accelerated aging.